

Title:

Certificate of Analysis (CoA)

Date: 4/22/2026
Date Tested: 4/21/2026
Customer: Finnrick
Testing material: Tirzepatide
Lot Number: PT-FA12D4AF6E5F-1
BT Sample ID: 005000039745960
Labeled Peptide Content/Potency: 10 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, white label, silver crimp, purple plastic cap.
Labeled as: Tirzepatide
Manufacturer: n/a
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	56.6 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Tirzepatide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.5 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	11.8 mg (118.1 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	11.8 : 44.79 mg (1:3.8)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
Digitally signed by Andrea Castro, AS
 DN: OU=BTLabs, O=BioTools Inc, CN="Andrea Castro, AS", E=acaastro@biotools.us
 Reason: I am approving this document
 Location:
 Date: 2026.04.22 21:27:14-04'00'
 Foxit PDF Reader Version: 2025.1.0

Andrea Castro, AS
 Scientist-II
 BTLabs

Verna Zheng, AS
Digitally signed by Verna Zheng, AS
 DN: CN="Verna Zheng, AS", E=vzheng@biotools.us
 Reason: I am the author of this document
 Location:
 Date: 2026.04.22 21:28:05-04'00'
 Foxit PDF Reader Version: 2025.1.0


Verna Zheng, AS
 Scientist-II
 BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
 Phone: (561) 625-0133
 E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Tirzepatide Lot PT-FA12D4AF6E5F-1



HPLC Purity and Potency Assay @ 280 nm: Tirzepatide Lot PT-FA12D4AF6E5F-1



Tirzepatide Lot PT-FA12D4AF6E5F-1 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	10.698	1949.7